

Home Mate

WiFi HOME AUTOMATION ZigBee Products



Supplier Of Green Technologies




Lean back and relax. Because everything you need to feel at home is connected to our HomeMate app that just a touch away. HomeMate works on both iOS and Android devices.











...







Centralized control all devices such as lights, TV, A/C and curtains.

Devices management based on rooms and floors, meet the scene requirements in real life.


Independent operation interface for each device, easy-to-use.













ViCenter-300 Smart hub


ViCenter- 300 Smart hub

Vicenter-300 is the ZigBee hub developed on ZigBee protocol. It is the hub of the new smart home system ViHome Pro. It connects ZigBee network to LAN or Internet via TCP/IP protocol. With Vicenter-300, you can control ZigBee devices using smartphones or tablets when you are over WiFi, 2G/3G/4G.










ZIGBEE DOOR & WINDOW SENSOR Zigbee Door & Window Sensor Create your own Smart Home security network with this easy to install window or door sensor. No electrician required; this is a typical do-it-yourself installation and affordable for conversion certain windows and doors or focus on certain rooms or the entire home/garage. Get alerted anywhere in the world if doors and windows are opened. Works with Zigbee Smart Hub. Smart Hub Door & WindowSensor

ZIGBEE MOTION SENSOR

Zigbee Motion Sensor

Create your own Smart Home security network with this easy to install motion sensor. No electrician required; this is a typical do-it-yourself installation and affordable for conversion certain windows and doors or focus on certain rooms or the entire home/garage. Get alerted anywhere in the world if someone or something is moving about in your home. Works with Zigbee Smart Hub.









Sensor



3 Motion sensor


- Work with ViCenter- 300 smart hub
- Capture the movement of people or pets, intelligent anti-theft, Synchronize with other ZigBee devices
- Ultra low power consumption, the battery can last more than 1 year
- Product Specifications
- Power supply: 2 AA batteries
- Detection angle: Longitudinal 70 °, lateral 120 °
- Detection distance: 7-9m
- Wireless power output: 4.5dBm
- Wireless receiving sensitivity: ≥ 90dBm



4 Door/window sensor

- Work with ViCenter- 300 smart hub
- Capture the movement of people or pets, intelligent anti-theft Synchronize with other ZigBee devices
- Ultra low power consumption, the battery can last more than 1 year.
- Free tool installation
- Product Specifications
- Power supply: CR2302 button battery
- Wireless power output: 4.5dBm
- Wireless receiving sensitivity: ≥ 90dBm







Smart light switch three-gang SW-T403ZB









OR-T405ZB



Smart dimmer switch SW-T401DZB



Smart socket SK- 400ZB



Smart light switch three-gang SW-T203ZB



Aurora series switches

- High fire retardant PC base, surge protection design
- Highly sensitive capacitor touch panel with blue backlighting
- Manually touch control and APP control
- Support status feedback; the ZigBee gateway gets power status feedback in real time
- Memory store when power off; Devices don't need to access to ZigBee network again after power-on

Platinium series switches

- High fire retardant PC base, surge protection design
- Highly sensitive capacitor touch panel with blue backlighting
- Manually touch control and APP control
- Support status feedback; the ZigBee gateway gets power status feedback in real time
- Memory store when power off; Devices don't need to access to ZigBee network again after power-on





RGB relay RL804CZB

- Compatible with most V+signal RGB strip lights and RGB panel lights on the market
- Support 16 millions of colors, making your life more colorful
- Support DC12V and DC24V
- Support making scenes
- ZigBee HA automatic networking technology, no need to pair codes, easy-to-use
- Power off memory function. no need to access ZigBee network again when power is off





Smart Locks OR- K- 9113

Cooperate with ZigBee smart home system to remote unlock.

- Support password, fingerprint identification and traditional mechanical unlock.
- Support virtual password.
- The world's leading FPC living organisms (fingerprint) acquisition, induction speed.
- Product Specifications
- Password Length: 6
- Power supply: 4 AA batteries (can be loaded two),
 emergency power supply is 9V block battery, Unlock
 current ≤ 180mA, standby power consumption ≤ 20mA
- Door type: steel doors, security doors, copper doors
- Door thickness: 80mm 120mm



OR- AM65- 2/100- RP (Low voltage)

- Work with multi-functional relay in low voltage mode
- Voltage 110V- 245V, frequency 50Hz, power 80-100W



- Work with multi-functional relay in high voltage mode
- Voltage 110V- 245V, frequency 50Hz, power 80-100W









Multi-functional relay

- Three working modes: high voltage mode, low voltage mode, power relay mode
- Support making scenes
- Power off memory function. no need to access ZigBee network again when power is off
- Product Specifications
- Power supply: AC100V-240V 50/60Hz
- Power supply: Max current: 5A
- Wireless Transmitting power: ≤18dbm
- Wireless receiving sensitivity: ≥- 90dBm







ALL-IN-ONE REMOTE CONTROL

The All-in-one remote control turns every connected device into brand-new smart devices. With its powerful 360° infrared signaling and working with other smart plugs and switches, all your electrical lights and appliances can be turned on/off, raised/lowered in brightness and even temperature at the desired level and time without much human intervention.







- ZigBee signal transmission



ZigBee is a short distance, low speed, low power, low cost wireless communication technology. It is automatic networking, highly secure and highly scalable, which makes it an ideal option for smart home.

High capacity: One zigbee network can contain up to 65,000 zigbee nodes.

Short time delay: Fast response time; it only takes 15ms to wake up and 30ms to access ZigBee network, while WiFi is 100 times longer.

Low power: ZigBee costs much less power than WiFi and bluebooth. The battery of ZigBee sensor can last 6 to 24 months.

Bidirectional feedback: Users can check the status of home electronics and appliance on the ViHome Pro APP anywhere you are.

Reliable: It can heal by itself. When one device is in problem, data can be transmitted through other devices.

Scalable: Users can enlarge the ZigBee network by adding new ZigBee devices at any time.

Independent ID: Every ZigBee device has its own unique ID, thus no interference among different ZigBee devices.

Member of ZigBee Alliance

ZigBee Alliance is initiated by Chipcon, Ember, Freescale, Honeywell, Mistubishi, Motorola, Philips, Samsung and more companies. Currently, the alliance already contains more than 400 members, including many world-class IC design, home appliances, communications equipment, IP service providers and other vendors. ZigBee Alliance commits to promoting widespread adoption of ZigBee as the leading wireless networking, sensing and control standard in global consumer electronics, energy, home, commercial and industrial areas.

As a member of ZigBee Alliance, ORVIBO has been actively involved in the development and implementation of ZigBee standards, to jointly promote the standardization of smart home industry.













































WWW.FNTOUCH.COM INFO@FNTOUCH.COM

